



2014 North Dakota Critical Access Hospital (CAH) Quality Data Collection Projects ♦ *Crossover Between Quality Measures*

*** ACRONYMS**

- CMS** Centers for Medicare and Medicaid Services
- MBQIP** Medicare Beneficiary Quality Improvement Project
- HEN** Hospital Engagement Network
- HCAHPS** Hospital Consumer Assessment of Healthcare Providers and Systems
- AHA** American Heart Association
- CQM** Clinical Quality Measures by National Quality Forum (NQF)

MEASURE	CMS* Inpatient	CMS* Outpatient	MBQIP*	HCAHPS*	Health Care SafetyZone Portal*	HEN*	State Stroke Registry AHA*	Meaningful Use CQMs* (2013-14)
AMI-7a Fibrinolytic therapy received within 30 minutes of hospital arrival	X							X
HF-1: Discharge instructions	X		X					
HF-2: Evaluations of LVS function	X		X					
HF-3: ACEI or ARB for LVSD	X		X					
PN-3b: Blood cultures performed in the emergency department (ED) prior to initial antibiotic received in hospital	X		X					
PN-6b2: Initial antibiotic selection for community acquire pneumonia (CAP) immunocompetent – non ICU patient	X		X					



2014 North Dakota Critical Access Hospital (CAH) Quality Data Collection Projects ♦ *Crossover Between Quality Measures*

MEASURE	CMS* Inpatient	CMS* Outpatient	MBQIP*	HCAHPS*	Health Care SafetyZone Portal*	HEN*	State Stroke Registry AHA*	Meaningful Use CQMs* (2013-14)
SCIP-INF-1 Prophylactic antibiotic received within 1 hour prior to surgical incision	X							X
SCIP-INF-2 Prophylactic antibiotic selection for surgical patients	X							X
SCIP-INF-9 Urinary catheter removed on postoperative day 1 (POD1) or postoperative day 2 (POD2) with day of surgery being day zero	X							X
OP-1: Median time to fibrinolysis		X	X					
OP-2: Fibrinolytic therapy received within 30 minutes of ED arrival		X	X					
OP-3: Median time to transfer to another facility for acute coronary intervention in the ED		X	X					
OP-4: Aspirin at arrival in the ED		X	X					
OP-5: Median time to ECG in the ED		X	X					



2014 North Dakota Critical Access Hospital (CAH) Quality Data Collection Projects ♦ *Crossover Between Quality Measures*

MEASURE	CMS* Inpatient	CMS* Outpatient	MBQIP*	HCAHPS*	Health Care SafetyZone Portal*	HEN*	State Stroke Registry AHA*	Meaningful Use CQMs* (2013-14)
OP-6: Timing of antibiotic prophylaxis (prophylactic antibiotic initiated within one hour prior to surgical incision) in surgery		X	X					
OP-7: Prophylactic antibiotic selection for surgical patients in surgery		X	X					
ED-1 Median time from ED arrival to ED departure for admitted ED patients (ED throughput)	X							X
ED-2 – Admitted patients – admit decision time to ED departure time for admitted patients (ED throughput)	X							X
ED-3/OP-18 Median time from ED arrival to ED departure for discharged ED patient		X						X
Patient assessment of nurse communication			X	X				
Patient assessment of doctor communication			X	X				
Patient assessment of responsiveness of hospital staff			X	X				
Patient assessment of pain management			X	X				



2014 North Dakota Critical Access Hospital (CAH) Quality Data Collection Projects ♦ *Crossover Between Quality Measures*

MEASURE	CMS* Inpatient	CMS* Outpatient	MBQIP*	HCAHPS*	Health Care SafetyZone Portal*	HEN*	State Stroke Registry AHA*	Meaningful Use CQMs* (2013-14)
Patient assessment of communication about medicines			X	X				
Patient assessment of discharge information			X	X				
Patient assessment of care transitions			X	X				
Patient assessment of their willingness to recommend hospital			X	X				
Patient overall rating of the hospital			X	X				
Patient assessment of cleanliness and quietness of hospital environment			X	X				
Pharmacist CPOE or verification of medication orders within 24 hours			X					
Pre-transfer communication – Outpatient ED transfer communication			X					
Patient identification – Outpatient ED transfer communication			X					
Vital signs – Outpatient ED transfer communication			X					



2014 North Dakota Critical Access Hospital (CAH) Quality Data Collection Projects ♦ *Crossover Between Quality Measures*

MEASURE	CMS* Inpatient	CMS* Outpatient	MBQIP*	HCAHPS*	Health Care SafetyZone Portal*	HEN*	State Stroke Registry AHA*	Meaningful Use CQMs* (2013-14)
Medication-related information – Outpatient ED transfer communication			X					
Practitioner generated information – Outpatient ED transfer communication			X					
Nurse generated information – Outpatient ED transfer communication			X					
Procedures and tests – Outpatient ED transfer communication			X					
Dietary - hospital events					X			
Elopement – hospital events					X			
Behavioral (abuse allegations) – hospital events					X			
Employee incident – hospital events					X			
Equipment – hospital events					X			
Facility/security – hospital events					X			



2014 North Dakota Critical Access Hospital (CAH) Quality Data Collection Projects ♦ *Crossover Between Quality Measures*

MEASURE	CMS* Inpatient	CMS* Outpatient	MBQIP*	HCAHPS*	Health Care SafetyZone Portal*	HEN*	State Stroke Registry AHA*	Meaningful Use CQMs* (2013-14)
Falls – hospital events					X			
HIPPA violation – hospital events					X			
Infection report – hospital events					X			
Medication event – hospital events					X			
Patient/family concerns – hospital events					X			
Procedural/clinical – hospital events					X			
Skin integrity – hospital events					X			
Employee illness – hospital events					X			
Adverse drug event (ADE)					X	X		
Catheter-associated urinary tract infections (CAUTI)	X				X	X		



2014 North Dakota Critical Access Hospital (CAH) Quality Data Collection Projects ♦ *Crossover Between Quality Measures*

MEASURE	CMS* Inpatient	CMS* Outpatient	MBQIP*	HCAHPS*	Health Care SafetyZone Portal*	HEN*	State Stroke Registry AHA*	Meaningful Use CQMs* (2013-14)
Central line-associated blood stream infections (CLABSI)	X				X	X		
Injuries from falls and immobility					X	X		
Obstetrical adverse events						X		
Pressure ulcers						X		
Surgical site infection					X	X		
Ventilator-associated pneumonia						X		
Preventable readmission						X		
Venous thromboembolism – VTE-1 (STK-1)	X					X	X	
STK-2: Ischemic stroke – discharged on anti-thrombotic therapy	X						X	X
STK-3: Ischemic stroke – anticoagulation therapy for atrial fibrillation/flutter	X						X	X



2014 North Dakota Critical Access Hospital (CAH) Quality Data Collection Projects ♦ *Crossover Between Quality Measures*

MEASURE	CMS* Inpatient	CMS* Outpatient	MBQIP*	HCAHPS*	Health Care SafetyZone Portal*	HEN*	State Stroke Registry AHA*	Meaningful Use CQMs* (2013-14)
STK-4: Ischemic stroke – thrombolytic therapy	X						X	X
STK-5: Ischemic stroke – antithrombotic therapy by end of hospital day two	X						X	X
STK-6: Ischemic stroke – discharged on statin medication	X						X	X
Stroke-8: Ischemic or hemorrhagic stroke – stroke education	X						X	X
Stroke-10: Ischemic or hemorrhagic stroke – assessed for rehabilitation	X						X	X
OP-23 Head CT or MRI scan results for acute ischemic stroke OR hemorrhagic stroke patients who received head CT or MRI scan interpretation within 45 min. of ED arrival	X						X	
VTE-1: Thromboembolism VTE prophylaxis	X					X		X
VTE-2: ICU ICU VTE prophylaxis	X					X		X



2014 North Dakota Critical Access Hospital (CAH) Quality Data Collection Projects ♦ *Crossover Between Quality Measures*

MEASURE	CMS* Inpatient	CMS* Outpatient	MBQIP*	HCAHPS*	Health Care SafetyZone Portal*	HEN*	State Stroke Registry AHA*	Meaningful Use CQMs* (2013-14)
VTE-3: VTE patients with overlap of anticoagulation therapy	X					X		X
VTE-4: VTE patients unfractionated heparin (UFH) dosages/platelet count monitoring by protocol (or nomogram) receiving unfractionated heparin (UFH) with dosages/platelet count monitored by protocol (or nomogram)	X					X		X
VTE-5: VTE discharge instructions	X					X		X
VTE-6: Incidence of potentially preventable VTE	X					X		X

Revised: 5/31/14